CENTRAL FAX CENTER DEC 0 2 2009

S/N 10/585629

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

MAESAWA ET AL.

Examiner:

MABRY, JOHN

Serial No.:

10/585629

Group Art Unit:

1625

Filed:

July 11, 2006

Docket No.:

14633.0009USWO

Title:

METHOD OF DEUTERATION USING MIXED CATALYST

CERTIFICATE UNDER 37 CFR 1.6(d):

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on December 2.

Name: Justine L Suleski

SUPPLEMENTAL COMMUNICATION

Mail Stop: AMENDMENT Commissioner for Patents

P.O. Box 1450

Alexandria, Virginia 22313-1450

Dear Commissioner:

Further to the Amendment filed November 25, 2009, Applicants provide herewith a courtesy copy of the Supplemental Amendment of the applications 10/521531 and 10/539188, which are referred to on page 8 of the Amendment, and the PTO confirmations thereof.

Respectfully submitted,

52835

PATENT TRADEMARK OFFICE

HAMRE, SCHUMANN, MUELLER &

LARSON, P.C. P.O. Box 2902

Minneapolis, MN 55402-0902 (612) 455 3800

Dated: December

Douglas P. Mueller

Reg. No. 30,300

DPM/my/jls

HSML

RECEIVED CENTRAL FAX CENTER DEC 0 2 2009

Page 3/15



S/N 10/521531

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

ITO ET AL

Examiner:

NWAONICHA, Chukwuma O.

Serial No.:

10/521531

Group Art Unit:

1621

Filed:

January 14, 2005

Docket No.:

14633.0006USWO

Title:

A METHOD FOR DEUTERATION OF AN AROMATIC RING

CERTIFICATE UNDER 37 CFR 1.6(d):

1 hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on NOVEM (25, 2009.

Name: Justine L Suleski

SUPPLEMENTAL AMENDMENT

Mail Stop: AMENDMENT Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Dear Sir:

Further to the Amendment and Response filed June 30, 2009, Applicants submit the following in response to the Office Action dated March 30, 2009:

response planting serial planting pour serial planting pl

Amendments to the Claims begin on page 2 of this paper.

Remarks begin on page 5 of this paper.

RECEIVED CENTRAL FAX CENTER DEC 0 2 2009

Application Number 10/521531
Supplemental Amendment to Amendment and Response filed on July 30, 2009 responding to the Office Action dated March 30, 2009

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

(Currently Amended) A method for deuteration of an aromatic ring comprising:
 reacting the aromatic ring under a neutral condition with a deuterated solvent
 other than deuterium peroxide (D₂O₂) in the presence of <u>only at least</u> one activated
 catalyst selected from a platinum catalyst, a rhodium catalyst, a ruthenium catalyst, a
 nickel catalyst and a cobalt catalyst,

wherein the aromatic ring may have at least one substituent and is at least one selected from the group consisting of benzene, naphthalene, anthracene, phenanthrene, 9,10-dihydroanthracene, naphthacene, pentaphene, pentacene, hexaphene, hexacene, heptaphene, heptacene, trinaphthylene, 1,4-dihydronaphthalene, pyrene, triphenylene, biphenylene, indene, indan, indacene, phenalene, fluorene, acenaphthene, acenaphthylene, fluoranthene, tetraphenylene, coranthrene, acephenanthrylene, aceanthrylene, cyclopentaphenanthrene, chrysene, picene, pleiadene, rubicene, pyranthrene, coronene, perylene, rubrene, dibenzophenanthrene, 1,2-dibenzo-1,3-cycloheptadiene and ovalene, and

the <u>only at least</u> one activated catalyst is activated with hydrogen gas or heavy hydrogen gas.

- 2. (Original) The method for deuteration according to claim 1, wherein the catalyst is an activated platinum catalyst.
- 3. (Original) The method for deuteration according to claim 2, wherein the platinum catalyst is one comprising platinum of 0 to 2 valences.

Application Number 10/521531
Supplemental Amendment to Amendment and Response filed on July 30, 2009 responding to the Office Action dated March 30, 2009

4. (Original) The method for deuteration according to claim 2, wherein the platinum catalyst is platinum carbon.

5-6. (Cancelled)

- 7. (Previously Presented) The method for deuteration according to claim 1, wherein the at least one substituent of the aromatic ring is selected from the group consisting of a halogen atom, a hydroxyl group, a mercapto group, an oxo group, a thioxo group, a carboxyl group, a sulfo group, a sulfino group, a sulfeno group, a phosphino group, a phosphinoyl group, a formyl group, an amino group, a cyano group and a nitro group.
- 8. (Previously Presented) The method for deuteration according to claim 1, wherein the at least one substituent of the aromatic ring is selected from the group consisting of an alkyl group, an alkenyl group, an aryl group, an aralkyl group, an alkoxy group, an aryloxy group, an alkylthio group, an arylthio group, an alkylsulfonyl group, an arylphosphino group, an
- 9. (Previously Presented) The method for deuteration according to claim 8, wherein the at least one substituent of the aromatic ring has at least one substituent selected from the group consisting of an alkyl group, an alkenyl group, an alkynyl group, an aryl group, a hydroxy group, an alkoxy group, an amino group, an alkylamino group, a mercapto group, an alkylthio group, an formyl group, an acyl group, a carboxyl group, an alkoxycarbonyl group, a carbamoyl group and an alkylcarbamoyl group.
- 10. (Previously Presented) The method for deuteration according to claim 1, wherein the reaction is carried out at 180 °C or lower.

Application Number 10/521531 Supplemental Amendment to Amendment and Response filed on July 30, 2009 responding to the Office Action dated March 30, 2009

11. (Previously Presented) The method for deuteration according to claim 1, wherein the deuterated solvent is at least one selected from the group consisting of deuterium oxide, deuterated alcohols, deuterated carboxylic acids, deuterated ketones, deuterated dimethuylsulfoxide, and tritium oxide.

Application Number 10/521531 Supplemental Amendment to Amendment and Response filed on July 30, 2009 responding to the Office Action dated March 30, 2009

REMARKS

Favorable reconsideration of this application is requested in view of the following remarks.

Claim 1 has been amended to limit a number of the activated catalyst used in the reaction step to one catalyst. Examples are presented in the specification in table 1 on page 29 of the specification.

In view of the above, Applicants request reconsideration of the application in the form of a Notice of Allowance.

52835 PATENT TRADEMARK OFFICE

DPM/my/jls

Respectfully submitted,

HAMRE, SCHUMANN, MUELLER & LARSON, P.C. P.O. Box 2902

Minneapolis, MN 55402-0902 (612) 455-3800

ouglas P. Mueller

Reg. No. 30,300

USPTO

11/25/2009 3:28:18 PM

PAGE 1/001

Fax Server

TO: Auto-reply fax to 612-455-3801 COMPANY:

Auto-Reply Facsimile Transmission



TO:

Fax Sender at 612-455-3801

Fax information

Date Received: Total Pages: 11/25/2009 3:24:34 PM [Eastern Standard Time]

6 (including cover page)

ADVISORY: This is an automatically generated return receipt confirmation of the facsimile transmission received by the Office. Please check to make sure that the number of pages listed as received in Total Pages above matches what was intended to be sent. Applicants are advised to retain this receipt in the unlikely event that proof of this facsimile transmission is necessary. Applicants are also advised to use the certificate of facsimile transmission procedures set forth in 37 CFR 1.8(a) and (b), 37 CFR 1.6(f). Trademark Applicants, also see the Trademark Manual of Examining Procedure (TMEP) section 306 et seq.

Received Cover Page



PAX TRANSMISSEKIN November 25, 20

TO: Mail Stop: AMENDMENT
Benniner: NWAOHOCHA, Clubse

PROM; Douglas P. MacBer

Commissioner for Peters PO Box 1450 Alexandria, VA 22313-1450

OUR REF: 14631,0006USWO

TELEPHONE: (612) 459.3800

Total pages, lockeling cover latter: 6

9TO FAX NUMBER: 571,273,8300

If all pages are NOT reactives, places call us at \$12.435.3400 or fire as at \$12.435.3501.

E [TO ST AL |02 | 10/521331

E SUPPLEMENTAL AMERICANITY (1 PAGES)

Serial No.: 16 App. Filed: 5:

Phono charge any additional free or credit overpayment to Deposit Account No. 50-567A. Please comittee this a PETLITON FOR EXTENSION OF TOME for a sufficient

> Name: Weights P. Mass Scr Res. No.: \$0.380

I havely worldy that this paper is being measurated by fluxinate to the U.S. Potent and Trademor

Applied States

November 25, 2019

en aktininen iletalet (hatta biyo-mymeatole (de) stol The benestied (hat de) 1.500 Wenderlood (hat biyo-marine)

RECEIVED Page 9/15
CENTRAL FAX CENTER
DEC 0 2 2009



S/N 10/539188

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

ITO ET AL

Examiner:

NWAONICHA, CHUKWUMA O

Serial No.:

107539188

Group Art Unit:

1621

Filed:

June 16, 2005

Docket No.:

14633.0008USWO

Title:

A METHOD OF DEUTERATION

CERTIFICATE UNDER 37 CFR 1.6(d):

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on NEVI

25,2009.

SUPPLEMENTAL AMENDMENT

Mail Stop: AMENDMENT Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Dear Sir:

Further to the Amendment and Response filed August 12, 2009, Applicants submit the following in response to the Office Action dated May 12, 2009:

Amendments to the Claims begin on page 2 of this paper.

Remarks begin on page 6 of this paper.

02/12/2009 12:37

Application Number 10/539188 Supplemental Amendment to Amendment and Response filed on August 12, 2009 responding to the Office Action dated May 12, 2009

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

1. (Currently Amended) A method for deuteration of a compound represented by the general formula [1]:

$$R^1-X-R^2$$
 [1]

wherein. R1 represents an alkyl group, an alkyl group having at least one carboncarbon double bond and/or at least one triple bond, an aralkyl group, or an aralkyl group having at least one carbon-carbon double bond and/or at least one triple bond; R² represents an alkyl group or an alkyl group having at least one carbon-carbon double bond and/or at least one triple bond, an aryl group, an aralkyl group, an alkoxy group, an aryloxy group or a hydroxyl group; X represents a carbonyl group or a hydroxylmethylene group; R¹ and R² may form an alicyclic ring together with a carbon atom contained in X; provided that R² represents an alkyl group, an alkyl group having at least one carbon-carbon double bond and/or at least one triple bond, an aryl group or an aralkyl group when X is a hydroxylmethylene group, comprising reacting the compound represented by the general formula [1] under neutral condition with a deuterated solvent other than D₂O₂ in the co-presence of enonly one activated catalyst selected from a palladium catalyst, a platinum catalyst, a rhodium catalyst, a ruthenium catalyst, a nickel catalyst and a cobalt catalyst;

provided that when the compound represented by the general formula [1] has at least one carbon-carbon double bond and/or at least one triple bound, the catalyst activated in advance is used as the activated catalyst.

02/12/2009 12:37

Application Number 10/539188 Supplemental Amendment to Amendment and Response filed on August 12, 2009 responding to the Office Action dated May 12, 2009

- The method for deuteration according to claim 1, wherein X is a carbonyl 2. (Original) group in the general formula [1].
- The method for deuteration according to claim 1, wherein X is a 3. (Original) hydroxymethylene group in the general formula [1].
- 4. (Canceled)
- The method for deuteration according to claim 1, wherein 5. (Previously Presented) the deuterated solvent is deuterium oxide (D2O).
- 6. (Currently Amended) The method for deuteration according to claim 1, wherein the only one activated catalyst is one obtained by activating a non-activated catalyst selected from a palladium catalyst, a platinum catalyst, a modium catalyst, a ruthenium catalyst, a nickel catalyst and a cobalt catalyst by contacting with hydrogen gas or heavy hydrogen gas.
- The method for deuteration according to claim 6, wherein 7. (Previously Presented) the contact of the non-activated catalyst with hydrogen gas or heavy hydrogen gas is conducted in a deuteration reaction system.
- 8. (Currently Amended) The method for deuteration according to claim 1, wherein the only one activated catalyst is a catalyst comprising an activated palladium based catalyst.
- The method for deuteration according to claim 8, wherein the activated 9. (Original) palladium based catalyst is an activated palladium carbon.
- 10. (Canceled)

Application Number 10/539188
Supplemental Amendment to Amendment and Response filed on August 12, 2009 responding to the Office Action dated May 12, 2009

11. (Currently Amended) A method for deuteration of a compound represented by the general formula [1]:

Page 12/15

$$R^{1}-X-R^{2}$$
 [1]

wherein, R¹ represents an alkyl group, an alkyl group having at least one carbon-carbon double bond and/or at least one triple bond, an aralkyl group, or an aralkyl group having at least one carbon-carbon double bond and/or at least one triple bond; R² represents an alkyl group or an alkyl group having at least one carbon-carbon double bond and/or at least one triple bond, an aryl group, an aralkyl group, an alkoxy group, an aryloxy group or a hydroxyl group; X represents a carbonyl group or a hydroxyl group; R¹ and R² may form an alicyclic ring together with a carbon atom contained in X; provided that R² represents an alkyl group, an alkyl group having at least one carbon-carbon double bond and/or at least one triple bond, an aryl group or an aralkyl group when X is a hydroxylmethylene group, comprising reacting the compound represented by the general formula [1] under neutral condition with a deuterated solvent in the co-presence of an only one activated catalyst selected from a palladium catalyst, a platinum catalyst, a rhodium catalyst, a ruthenium catalyst, a nickel catalyst and a cobalt catalyst;

provided that when the compound represented by the general formula [1] has at least one carbon-carbon double bond and/or at least one triple bound, the catalyst activated in advance is used as the activated catalyst, and

the compound represented by the general formula [1] is tricyclo[5.2.1.0^{2,6}]decan-8-ol, and the activated catalyst is a catalyst comprising palladium carbon and platinum earbon.

- 12. (Original) Tricyclo [5.2.1.0^{2.6}] decan-8-ol wherein deuteration ratio thereof is 60% or more.
- 13. (Previously Presented) The method for deuteration according to claim 1, provided that when the compound represented by the general formula [1] has at least one carbon-

Application Number 10/539188
Supplemental Amendment to Amendment and Response filed on August 12, 2009 responding to the Office Action dated May 12, 2009

carbon double bond and/or at least one triple bound, hydrogen gas or heavy hydrogen gas is not present in a deuteration reaction system.

14. (New) The method for deuteration according to claim 1, wherein the only one activated catalyst is a catalyst comprising an activated platinum catalyst.

15. (New) A method for deuteration of a compound represented by the general formula [1]:

$$R^{1}-X-R^{2}$$
 [1]

wherein, R¹ represents an alkyl group, an alkyl group having at least one carboncarbon double bond and/or at least one triple bond, an aralkyl group, or an aralkyl group having at least one carbon-carbon double bond and/or at least one triple bond; R² represents an alkyl group or an alkyl group having at least one carbon-carbon double bond and/or at least one triple bond, an aryl group, an aralkyl group, an alkoxy group, an aryloxy group or a hydroxyl group; X represents a carbonyl group or a hydroxylmethylene group; R¹ and R² may form an alicyclic ring together with a carbon atom contained in X; provided that R² represents an alkyl group, an alkyl group having at least one carbon-carbon double bond and/or at least one triple bond, an aryl group or an aralkyl group when X is a hydroxylmethylene group, comprising reacting the compound represented by the general formula [1] under neutral condition with a deuterated solvent in the co-presence of an only one activated catalyst selected from a palladium catalyst, a platinum catalyst, a rhodium catalyst, a ruthenium catalyst, a nickel catalyst and a cobalt catalyst; provided that when the compound represented by the general formula [1] has at least one carbon-carbon double bond and/or at least one triple bound, the catalyst activated in advance is used as the activated catalyst, and

the compound represented by the general formula [1] is tricyclo[5.2.1.0^{2,6}]decan-8-ol, and the activated catalyst is a catalyst comprising platinum carbon.

02/12/2009 12:37

Application Number 10/539188
Supplemental Amendment to Amendment and Response filed on August 12, 2009 responding to the Office Action dated May 12, 2009

REMARKS

Favorable reconsideration of this application is requested in view of the following remarks.

Claim 1 has been amended to limit a number of the activated catalyst to one catalyst. Examples are presented in tables 1-3 on pages 29-31, respectively, of the specification. Accordingly, claim 10 has been canceled, and claims 6 and 8 have been amended editorially. Claim 14 has been amended to include only activated platinum catalyst as supported by examples 17-18 and 29 in tables 2-3 on pages 30-31, respectively, of the specification. Claim 11 has been amended to limit the activated catalyst to only palladium carbon catalyst as supported by examples 16 and 21-23 in table 30 of the specification. Claim 15, which includes only platinum carbon catalyst, has been added as supported by examples 17-18 in table 2 on page 30 of the specification.

In view of the above, Applicants request reconsideration of the application in the form of a Notice of Allowance.

Respectfully submitted,

H T.

HAMRE, SCHUMANN, MUELLER & LARSON, P.C. P.O. Box 2902 Minneapolis, MN 55402-0902

(612) 45**1**-3800

By:

Bouglas P. Mueller Reg. No. 30,300

DPM/my/jls

52835

USPTO

11/25/2009 3:48:31 PM

PAGE

1/001 Fax Server

TO: Auto-reply fax to B12-455-3801 COMPANY:

Auto-Reply Facsimile Transmission

HSML



TO:

Fax Sender at 612-455-3801

Fax Information

Date Received: Total Pages: 11/25/2009 3:20:36 PM [Eastern Standard Time]

7 (including cover page)

ADVISORY: This is an automatically generated return receipt confirmation of the facsimile transmission received by the Office. Please check to make sure that the number of pages listed as received in Total Pages above matches what was intended to be sent. Applicants are advised to retain this receipt in the unlikely event that proof of this facsimile transmission is necessary. Applicants are also advised to use the certificate of facsimile transmission procedures set forth in 37 CFR 1.8(a) and (b), 37 CFR 1.6(f). Trademark Applicants, also see the Trademark Manual of Exemining Procedure (TMEP) section 306 et seq.

Received Cover Page

HAMRE SCHUMANN MUFILER & LARSON, P.C. FAX TRANSMISSION November 25, 2009 FROM: Douglas P. Maciler HOW. HY ACROCHA, CHUKWUMA O PO Bys, 1430 Alcxandria, VA 22313-1430 OUR REP: 14633.000EUSWO TELEPHONE: (612) 433,3800 Total pages, including pover letter: 7 FTO FAX NUMBER: 571.273.8300 If all progets are NOT received, please call us at 612.455.3800 or fix us at 612.455.3801. Title of Document: SUPPLEMENTAL AMENDMENT of PACES e charge any additional face or credit overpayment to Deposit Account No. Please consider this a PETITION FOR EXTENSION OF TIME for a si ውሎዲ /መተ-መጀመርት ነው ተመመ ተመደቀ ተመጀመር ከተለዩ ተብቢርዊ ርሷ ይመጀምት አሁን ተመጀመረት ነው መጀመር መመመ መጀጋሪ ያሪያት መመ ተመጀመር መመመ 172 RCVD AT 11 (2007) 2-70-70 PM Protein Record Trans (1914-1910 AND 40 YOR) 278778 (2004-1914 AND 1914-1910 AND 1914-1914)